

# BRAND DATASHEET



Discovery 75 g.m<sup>-2</sup>



Discovery 70 g.m<sup>-2</sup>

Physical Parameters	Reference	Value
Thickness μm	ISO 534	106
Stiffness MD, mN	ISO 2493	>= 90
Stiffness CD, mN	ISO 2493	>= 35
Bendtsen Roughness, ml/min	ISO 8791/2	220
Moisture, %	ISO 287	4,0
Bulk μm/g/m <sup>2</sup>	-	1,41

Optical Parameters	Reference	Value
Whiteness, CIE	ISO 11475	161
Brightness D65, %	ISO 2470	110
Opacity, %	ISO 2471	92,0

Basis Weight, g/m<sup>2</sup> - ISO 536

Reference	Value
ISO 534	104
ISO 2493	>= 90
ISO 2493	>= 35
ISO 8791/2	230
ISO 287	4,0
-	1,49

Reference	Value
ISO 11475	161
ISO 2470	110
ISO 2471	91,0

January 2018

Discovery 75 g.m<sup>-2</sup>  
Available in:

### A4

Ream Wrapped  
Ream Bar Code  
5602024083271  
Box Bar Code  
5602024007062

Punched 2 Holes  
Ream Bar Code  
5602024137677  
Box Bar Code  
5602024095205

Punched 4 Holes  
Ream Bar Code  
5602024117907  
Box Bar Code  
5602024095212

Fast Pack  
Box Bar Code  
5602024607576

Fast Pack Punched 2 Holes  
Box Bar Code  
5602024106595

Fast Pack Punched 4 Holes  
Box Bar Code  
5602024106529

### A3

Ream Wrapped  
Ream Bar Code  
5602024083301  
Box Bar Code  
5602024007116

Discovery 70 g.m<sup>-2</sup>  
Available in:

### A4

Ream Wrapped  
Ream Bar Code  
5602024334854  
Box Bar Code  
5602024328426

Fast Pack  
Box Bar Code  
5602024268807

Fast Pack  
Punched 2 Holes  
Box Bar Code  
5602024268838

Fast Pack  
Punched 4 Holes  
Box Bar Code  
5602024268821

### A3

Ream Wrapped  
Ream Bar Code  
5602024311701  
Box Bar Code  
5602024280342

Go further. Go greener.



**Additional Information about The Navigator Company Mills and Products:**

The Navigator Company mills are chain-of-custody certified by APCER in accordance with PEFC ST 2001 (APCER/2007/CDR.0008).

The Navigator Company mills are chain-of-custody certified by NepCon in accordance with FSC-STD-40-004 (NC-COC-014433)

and FSC-STD-40-005 (NC-CW-014433)

In accordance with the requirements of ISO 9706 standard

Elemental Chlorine Free (ECF)

**Management Systems certified:**

Quality Standard ISO 9001, Environmental Standard ISO 14001, Occupational Health and Safety Standard OHSAS 18001

\* The Ecolabel applies to weights below 120 g/m<sup>2</sup>.

Please Collect Used Paper for Recycling