


# DISPA<sup>®</sup>

PRINT IT. HANG IT. RECYCLE IT.

THE FSC<sup>®</sup>-CERTIFIED DISPLAY BOARD WITH A UNIQUE EMBOSSED PAPER CORE.



**3A**  
COMPOSITES

# DISPA®

100% PAPER – 100% RECYCLABLE.

## PRODUCT

DISPA® is the new paper board from 3A Composites with a unique structure of embossed formed paper which gives it strength and rigidity. It is the perfect solution for short term promotional campaigns.

DISPA® delivers everything you would expect from a sign and display board – flat, smooth surface, excellent printability, rigidity and stability – and a unique design made of 100% FSC®-certified paper and so DISPA® is fully recyclable.

The embossed structure that forms the central layer of DISPA® is the result of extensive analysis and testing of different profiles. This patented core and method of manufacture result in a uniquely stable board.

## DISPA® – FSC®- CERTIFIED

DISPA® is made of 100% FSC®-certified paper (FSC® C127595). FSC® is the abbreviation for Forest Stewardship Council® and represents a nongovernmental organization in over 80 countries.

The FSC® label builds on a consistently reliable process:

- Papers used to produce DISPA® are all FSC®-certified
- Clear indicator that the paper layers come from responsible forest management
- Use of forests in accordance with the social, economic and ecological needs
- Production process audited by FSC®: No mix with non-controlled / non –certified paper

Customers buying DISPA® make an active contribution to the sustainable management of forests around the world.

## PROCESSING

Thanks to the ease of processing, working with DISPA® is efficient and fast.


- Print – DISPA® delivers high quality results both for digital and screen printing
- Laminate – DISPA® is ideal for pre-printed double-sided offset litho sheet lamination
- Cut – DISPA® is suitable for CNC cutting as well as for die cutting
- 3D-forming – the use of a creasing wheel with a specific embossed geometry facilitates creative folding techniques

Please ask for our detailed processing instructions for DISPA®.

## PRODUCT RANGE

Thickness mm	3,8
Standard formats (WxL)	
1250 x 1840 mm	■
1250 x 2450 mm	■
1524 x 1016 mm	■
1524 x 3048 mm	■

Tolerances: Thickness  $\pm 0.4$  mm. Width and length  $\pm 5$  mm. The given measurements are standard dimensions, ex works. Special sheet sizes upon request, cut to size sheets are available from your distributor.



## PRODUCT APPLICATIONS

Print amazing graphics, create shapes with die and knife cutting or creasing, mount onto substrates or laminate onto DISPA® using standard adhesives for maximum in-store impact. A paper board that will look as good when it is taken down as it did on the day it was hung.

DISPA® – perfect solution for:

- Short term promotional campaigns
- Hanging signs
- Display and POS/POP applications


DISPA® will stay looking good for as long as you need it to with the added reassurance that when you dispose of it, it won't be hanging around for long.

## DISPA® – AT A GLANCE

DISPA® sheets offer a unique combination of excellent properties and occupy a 100% ecological position amongst display boards.

- Lightweight – easy to work with and to hang
- Bright white and smooth – graphics look amazing
- Strong, rigid and stable – signs start flat and stay flat
- Made of 100% FSC®-certified paper (FSC® C127595) – 100% recyclable
- Laminated structure constructed from embossed formed paper using an innovative, unique and patented manufacturing process
- Processing is fast, efficient and easy, even using manual tools

For your sign and display requirements, there's no better time to make the change to DISPA®.



# DISPA®



3A Composites GmbH  
49090 Osnabrück, Germany  
Tel +49 541 121 9379  
Fax +49 541 121 9393  
display.eu@3AComposites.com  
www.display.3AComposites.com

