



**PENSTICK**<sup>®</sup>Classic is a cling vinyl film. **PENSTICK**<sup>®</sup>Classic adheres without adhesive to smooth glossy surfaces like e.g. glass. Thus **PENSTICK**<sup>®</sup>Classic is easy to apply and remove, without leaving residues. The stiff TriPlan liner is the basis for good lay-flat characteristics. This guarantees good printability of large formats. Depending on the print run and the requirements of the application **PENSTICK**<sup>®</sup>Classic series 3000 could be printed upon with screen- or UV digital printing.

## Characteristics

- adheres without adhesive to smooth, glossy surfaces
- easy to remove
- leaves no residues
- reusable
- good UV-resistance

## Applications

- decoration
- advertising
- sticker

### Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK®Classic</b> 3155 CL	clear glossy	screen, UV inkjet	70 cm x 100 cm special formats on request	cling vinyl film 150 µm; TriPlan liner – PE coated board 215 g/m <sup>2</sup>
<b>PENSTICK®Classic</b> 3155 CL/BU	clear glossy	screen, UV inkjet		cling vinyl film 150 µm; TriPlan liner – PE coated board 215 g/m <sup>2</sup> with blue top side
<b>PENSTICK®Classic</b> 3155 WH	white glossy	screen, UV inkjet		cling vinyl film 150 µm; TriPlan liner – PE coated board 215 g/m <sup>2</sup>

### Product Overview Rolls

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK®Classic</b> 3155 CL	transparent glossy	screen, UV inkjet	100 cm x 50 m 100 cm x 100 m	cling vinyl film 150 µm; TriPlan liner – PE coated board 215 g/m <sup>2</sup>
<b>PENSTICK®Classic</b> 3155 WH	white glossy	screen, UV inkjet	100 cm x 250 m 100 cm x 500 m 140 cm x 50 m 140 cm x 100 m 140 cm x 250 m 140 cm x 500 m	



**PENSTICK**<sup>®</sup>*Flex* is a laminate of PET and a S-PVC cling layer. **PENSTICK**<sup>®</sup>*Flex* has a high dimension stability, which makes it well suited for large format applications. To print on **PENSTICK**<sup>®</sup>*Flex* you can choose between screen, UV offset and UV digital printing, whatever suits best the requirements of the print job.

### Characteristics

- adheres to smooth, glossy surfaces without adhesive
- easy to apply
- removable without residues
- good printability
- high dimension stability
- reusable
- good UV-resistance

### Applications

- large format advertising
- large format decorations

### Product Overview Sheets

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK<sup>®</sup>Flex</b> 4319 CL	clear glossy	screen, UV offset, UV inkjet	70 cm x 100 cm	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm
<b>PENSTICK<sup>®</sup>Flex</b> 4319 WH	white glossy	screen, UV offset, UV inkjet	special formats on request	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm

### Product Overview Rolls

Product	Colour / Surface	Printability	Formats	Description
<b>PENSTICK<sup>®</sup>Flex</b> 4319 CL	clear glossy	screen, UV offset, UV inkjet	100 cm x 250 m 100 cm x 500 m	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm
<b>PENSTICK<sup>®</sup>Flex</b> 4319 WH	white glossy	screen, UV offset, UV inkjet	100 cm x 1.000 m 140 cm x 250 m 140 cm x 500 m 140 cm x 1.000 m	laminate cling film PET/S-PVC 290 µm; BOPP liner 13 µm